INDEX RUBBER CHEMISTRY AND TECHNOLOGY VOLUME XIV, 1941

AUTHORS

	Page
ALEKSANDROV, A., AND DZHIAN, J. Studies of the amorphous state. XVII. Dielectric losses in swollen rubbers	877
ALEXANDER, S. H. See Garvey, B. S., Jr.	011
ALFREY, T., AND MARK, H. Phase transitions in rubber and their connection with the stress-strain curve	525
ALTMAN, R. F. A. Analysis of proteins occurring in Hevea latex. II.	
Properties and identification of the isolated products	300
Organic analysis of Hevea latex. IV. Amino acids	659
TV. Amino acids V. Ammonia and betaines VI. Alkaloids in whole-latex rubber	664 670
Van Harpen's hydratant acid	154
AMPHLETT, P. H. See Twiss, D. F. Anderson, J. G. See Mackay, J. G.	
Anderson, J. G. See Mackay, J. G. Ardenne, M. v., and Beischer, D. Investigation of the fine structure of high molecular sub-	
stances with the Universal electron microscope. II. Avons, C. H. J. See Mackay, J. G.	15
Baker, H. C. Distribution of nonrubber substances in preserved latex	641
Beischer, D. See Ardenne, M. v. Bekkedahl, Norman, and Wood, Lawrence A. Crystallization of vulcanized rubber	347
Influence of the temperature of crystallization on the melting of crystalline rubber	544
BIXBY, WILLARD F., AND CRAMER, HOWARD I. Transparent rubber compounds	221
BLAKER, ERNEST. See Clark, G. L. BLOOMFIELD, GEORGE F., AND FARMER, ERNEST HAROLD. Fractionation of rubber	, 590
Bolland, J. L. Kinetics of the polymerization of isoprene on sodium surfaces	811
Determination of active hydrogen	633
Brass, P. D. See Jordan, H. F.	
CADWELL, S. M., MERRILL, R. A., SLOMAN, C. M., AND YOST, F. L. Rubber in the automotive	
industry from the viewpoint of the rubber technologist	378
CLARK, G. L., KABLER, MARIAN, BLAKER, ERNEST, AND BALL, JOHN M. Hysteresis in crystallization of stretched vulcanized rubber from x-ray data.	27
of stretched vulcanized rubber from x-ray data	
Columbian Carbon Company Research Laboratories. Particle size and shape of colloidal	546
carbon as revealed by the electron microscope. COPLAN, B. V., ROGERS, S. S., AND HANSEN, L. A. Positively charged latex	52
COPLAN, B. V., ROGERS, S. S., AND HANSEN, L. A. Positively charged latex	656 356
COTTON, F. H. Rational processing	762
CRAMER, HOWARD I. See Bixby, Willard F. CROSSLEY, ROBERT H. See Palmer, Henry F.	
CRUDE RUBBER COMMITTEE. Report of the Crude Rubber Committee	, 755
Dalfsen, J. W. van. Effect of rapid stirring on latex and on its creaming	. 883
DAWSON, T. R., AND SCOTT, J. R. Effect of strain on the aging of vulcanized rubber	673
Depew, Harlan A. Zinc oxide—A product of complex physical and chemical properties Dewey, Bradley, Jr. See Hauser, E. A.	259
DZHIAN, J. See Aleksandrov, A.	
EBERT, H. L. See Street, J. N.	
Essex, W. G. New development in rubber reclaiming	717
FARMER, E. H. Analytical methods in rubber chemistry, Part I. General analytical considera-	
tions See also Bloomfield, G. L.	628
FIELD, J. E. x-Ray study of the proportion of crystalline and amorphous components in stretched	
rubber	555
Fraser, Donald F. Effect of petroleum products on Neoprene vulcanizates	196
FROLICH, P. K. See Thomas, R. M. FULLER, C. S. Investigation of synthetic linear polymers by x-rays	323
Gardner, E. R. Factors influencing the T-50 value	501
Gartner, E. Buna for hard-rubber linings	899
Garvey, B. S., Jr. Immersion test for rubber compounds	741
, ALEXANDER, C. H., KÜNG, F. E., AND HENDERSON, D. C. Mixed polymers and vulcanizable plasticizers. Relation to the vulcanization of rubber	826
JUVE, A. E., AND SAUSER, D. E. Hycar-OR. Properties of typical compounds	728

AUTHOR INDEX

	Page
GAZDIK, IVAN. See Hahn, Stuart H. GEE, G., AND TRELOAR, L. R. G. Relation between molecular weights and physical properties of rubber fractions.	
of rubber fractions. Gehman, S. D., and Field, J. E. x-Ray structure of rubber-carbon black mixtures —, Woodford, D. E., and Stambaugh, R. B. Dynamic properties of rubber. Dependence	85
on pigment loading Gerke, R. H. See Mooney, M. Gils, G. E. van. Preliminary studies of the conductivity of latex	842
Some remarks on the measurement of the viscosity of latex by means of a capillary viscometer. Guchkova, N. See Margaritov, V. B.	144 137
GUTH, EUGENE, AND JAMES, HUBERT M. Elastic and thermoelastic properties of rubberlike materials. A statistical theory	596
Hahn, Stuart H. Thermal problems in rubber manufacture	683 433
HALE, R. W. See Twiss, D. F. HANSEN, L. A. See Coplan, B. V. HAUSER, E. A., AND DEWEY, BRADLEY, JR. Creaming of rubber latex	308
James, Hubert M. See Guth. Eugene.	696
JONES, H. C., AND YIENGST, H. A. Dilatometer studies of pigment-rubber systems	113
latex Juve, A. E. See Garvey, B. S., Jr.	176
Kabler, Marian. See Clark, G. L. Kambara, Syū. Studies of synthetic rubber. III. Influence of irradiation with ultraviolet light on the degree of polymerization and structural viscosity of various synthetic rubbers	724 407
KIMMICH, E. G. Rubber in compression. KIRILINA, J. N. See Mikhailov, G. P. KOCH, E. A. Introduction of the bending strength test for soft rubber as a means of determining the freezing point and changes in elastic properties of soft rubber at high and low temperatures.	799
temperatures	786
LE TOURNEAU, R. L. See Clark, G. L. LIGHTBOWN, I. E. See Thomas, R. M. LONGMAN, S. Vistanex polybutene-rubber blends.	386
McCortney, W. J., and Hendrick, J. V. Cold resistance of synthetic rubber	736
Mackay, J. G., and Avons, C. H. J. Determination of free sulfur in vulcanized rubber, Anderson, J. G., and Gardner, E. G. Hysteresis tests on tire compounds	520 938 835
Martin, S. M., Jr. Gasoline-diffusion resistance of Thiokol Type-F. Melnikov, A. I. See Patrikeev, G. A. Merrill, L. A. See Cadwell, S. M. Mikialkov, G. P., and Kirilina, V. N. Study of elastic relaxation by a resonance method Mooney, M., and Gerke, R. H. Torsional hysteresis test for rubber	929
MIKHAILOV, G. P., AND KIRILINA, V. N. Study of elastic relaxation by a resonance method MOONEY, M., AND GERKE, R. H. Torsional hysteresis test for rubber MURPHREE, E. V. See Thomas, R. M.	858 35
Neale, A. E. T. See Twiss, D. F. Nederveen, G. vax. Color measurements of latices, and of rubber films prepared from them	884
Newerner, G. van. Color measurements of latices, and of rubber films prepared from them Newton, R. G. See Scott, J. R. Nickerson, R. F. Cotton fibers. Constitution structure and mechanical properties	273
Palmer, Henry F., and Robert H. Crossley. Reclaimed rubber. Application of the T-50 Test Parkinson, D. Carbon black in rubber compounding. Paselli, Piero. Rubber solvents which are economically self-sufficing. Patrikeev, G. A., and Melnikov, A. I. Tear resistance of rubber compounds. Patrin, T., and Pilat, S. Some physico-chemical properties of carbon blacks. PICKETT, F. N. Distillation products from waste rubber. Piddlesden, J. H. Concentration of latex by centrifuging machines.	249 98 227 863 934 376 160
Phat, S. See Patryn, T. Proske, G. Polarographic determination of organic accelerators of vulcanization Possibilities of utilizing the polarographic method in rubber laboratories. I Swelling measurements in the rubber laboratory	914 470 489
Reiner, St. Experiments on the degradation of Buna-S. I. Roberts, J. B., Jr. Determination of free carbon in rubber. ROE, C. P. See Jordan, H. F. ROGERS, S. S. See Coplan, B. V.	372 241
SAGER, THERON P. Permeability of elastic polymers to hydrogen	444
SAUSER, D. A. See Garvey, B. S., Jr. Schoon, Th., and Koch, H. W. Investigations of rubber fillers. I. Particle size and characteristic form of carbon blacks, and their influence on the properties of rubber mixtures, as judged by ultramicroscopic photographs.	920
SCOTT, J. R. See Dawson, T. R. AND NEWTON, R. G. R.A.B.R.M. Hardness meter. AND WILLOTT W. H. Estimation of carbon black in Neodrene compounds.	514 752

AUTHOR INDEX

941 Page Sears, W. C. Infra-red spectra of rubber and high polymers.

Sloman, C. M. See Cadwell, S. M.

Sparks, W. J. See Thomas, R. M.

Stambach, R. B. See Gehman, S. D.

Stamberger, Paul. Instability of Hevea latex.

Stevens, Henry P. Rubber photogels.

Stevens, W. H. Wanted—a new aging test.

Stevens, W. H. Wanted—a new aging test.

Stevens, W. H. Wanted—bear, H. L. Use of synthetic rubber in the automotive industry from the viewpoint of the rubber technologist. SEARS. W. C. Infra-red spectra of rubber and high polymers..... 211 THIES, H. R. Pliolite-rubber mixtures.

THOMAS, R. M., LIGHTBOWN, I. E., SPARKS, W. J., FROLICH, P. K., AND MURPHREE, E. V.

Butyl rubber 398 177 620 895 125 342 UEBERREITER, Kurt. Rubber and artificial resins as "liquids with fixed structures"...... 778 YIENGST, H. A. See Jones, H. C. YOST, F. L. See Cadwell, S. M. SUBJECTS Abrasion resistance of synthetic rubber compounds, Fibrous properties and.

Accelerator ratios in vulcanized rubber, Effect of various sultur
Accelerators of vulcanization, Polarographic determination of. Accid, Van Harpen's hydratant.
Aging of vulcanized rubber, Effect of strain on.
Aging test. Wanted—A new.
Alkaloids in whole-latex rubber.
Amino acids 670 Ammonia and betaines.
Amorphous components in stretched rubber.... 555 state, studies of. XVII.

Analysis of proteins occurring in *Hevea* latex. II. Properties and identification of the isolated products.

Analytical methods in rubber chemistry. I. 877 Analytical methods in rubber chemistry. 1.
(1) General analytical considerations.
(2) Determination of nitrogen.
(3) Determination of active hydrogen.
Automotive industry, Rubber in the. 633 Use of synthetic rubber in . . 211 Bending strength test for soft rubber to determine freezing point..... 899 Butyl rubber Carbon black in Neoprene compounds, Estimation of..... 752 85 241 160 Coagulation of rubber latex and its control.

Cold resistance of synthetic rubber.

Color measurements of latices, and of rubber films prepared from them.

Compounding ingredients in rubber.

Reactions between

Compression, Rubber in.

Concentration of latex by centrifugal machines.

Conductivity of latex. 736 45 160 144 273 883 433

555

SUBJECT INDEX

	Page
Crystallization of stretched, vulcanized rubber. Hysteresis in of vulcanized rubber.	546 27 347
Degradation of Buna-S. Determination of active hydrogen of free carbon in rubber. of free sulfur in vulcanized rubber. of scorching of rubber and synthetic compounds by use of the Mooney plastometer. Dielectric losses in swollen rubbers. Diffusion resistance of Thiokol Type-F, Gasoline Dilatometer studies of pigment-rubber systems. Distillation products from waste rubber. Distribution of nonrubber substances in preserved latex. Dynamic properties of rubber. Dependence on pigment loading.	372 633 241 520 458 877 929 113 376 641 842
Effect of petroleum products on Neoprene vulcanizates of rapid stirring on latex and on its creaming	196 , 883 356 596 599 858 449 52 15 752 696 372 501 786 920 15
Gasoline-diffusion resistance of Thiokol Type-F.	929
Hard-rubber linings, Buna for. Hardness meter of R.A.B.R.M. Hycar-OR. Properties of typical compounds. Hydratant acid, Van Harpen's. Hydrogen, Determination of active. Permeability of elastic polymers to. Hysteresis in crystallization of stretched vulcanized rubber from x-ray data. in crystallization of stretched vulcanized rubber. II. x-Ray studies of the effects of sulfur content and method of curing. test for rubber, Tortional. tests on tire compounds. 421,	899 514 728 154 633 444 27 546 35
Immersion test for rubber compounds. Influence of the temperature of crystallization on the melting of crystalline rubber. Influence of the temperature of crystallization on the melting of crystalline rubber. Influence of the spectra of rubber and high polymers. Introduction of the bending-strength test for soft rubber as a means of determining the freezing point and changes in elastic properties of soft rubber at high and low temperatures. Investigation of fine structure of high molecular substances with the Universal electron microscope. of synthetic linear polymers by x-rays. Investigations of rubber fillers. I. Particle size and characteristic form of carbon blacks, and their influence on the properties of rubber mixtures, as judged by ultramicroscopic photo-	741 544 572 138 799 15 323
graphs	920
Isoprene, Polymerization of, on sodium surfaces	811
	811
Latex, Analysis of proteins occurring in Hevea. Coagulation and control of rubber. Concentration of, by centrifugal machines. Conductivity of Creaming of Distribution of nonrubber substances in preserved. Effect of rapid stirring on. Instability of Hevea. Measurement by capillary viscometer of viscosity of Organic analysis of Positively charged.	670 657
Positively charged Rubber, Alkaloids in whole Temperature correction in formula for viscosity of Latices, Color measurements of	670 176 884
Linings, Buna for hard-rubber	899 842

SUBJECT INDEX

Page Neoprene compounds, Estimation of carbon black in..... New development in rubber reclaiming.

Nitrogen compounds, vulcanization of rubber by.

Determination of

Nonrubber substances in preserved latex. Organic analysis of Hevea latex. IV. Amino acids..... V. Ammonia and betaines.
VI. Alkaloids in whole-latex rubber. Particle size and shape of colloidal carbon as revealed by the electron microscope..... Photogels, Rubber
Pigment-rubber systems Photogels, Rubber
Pigment-rubber systems
Plasticizers, Mixed polymers and vulcanizable...
Plastometer, Determination of scorching of rubber and synthetic compounds by Mooney...
Ploilite-rubber mixtures
Polarographic determination of organic accelerators of vulcanization.
method in rubber laboratories, Possibilities of utilizing the
Polymerization and structural viscosity of various synthetic rubbers
of isoprene on sodium surfaces.
Polymers and vulcanizable plasticizers, Mixed.
Infra-red spectra of rubber and high.
Investigation by x-rays of synthetic linear.
Permeability to hydrogen of elastic.
Positively charged latex. R.A.B.M. Hardness meter.... Rational processing
Reactions between compounding ingredients during vulcanization of rubber.
Reclaimed rubber
Evaluation of Reclaimed rubber
Evaluation of
Reclaiming, New development in rubber
Relation between molecular weights and physical properties of rubber fractions
Relaxation, Study of elastic
Report of the Crude Rubber Committee. 289,
Resins as "liquids with fixed structures", Rubber and
Resonance method, Study of elastic relaxation by.
Rubber and artificial resins as "liquids with fixed structures".
in the automotive industry from the viewpoint of the rubber technologist.
in compression 778 in compression
photogels
solvents which are economically self-sufficing. Scorching of rubber and synthetic compounds, Determination of Shear, Creep of natural and synthetic rubber compounds in Solvents, Rubber, which are economically self-sufficing.

Some physico-chemical properties of carbon blacks.

remarks on the measurement of the viscosity of latex by means of a capillary viscometer. Statistical theory. Elastic and thermoelastic properties of rubberlike materials.

Strain, Effect of, on aging of vulcanized rubber.

Strain, Effect of, on aging of vulcanized rubber.

Stress-strain curve, Phase transitions in rubber and their connection with.

Stretched rubber, Crystalline and amorphous components in vulcanized rubber, Hysteresis in crystallization of.

27, Structure, Fine, of high molecular substances. Part II

Studies of amorphous state. XVII. Dielectric losses in swollen rubbers.

synthetic rubber. III. Influence of irradiation with ultraviolet light on the degree of polymerization and structural viscosity of various synthetic rubbers.

Study of elastic relaxation by a resonance method.

Sulfur-a reclerator ratios in vulcanized rubber.

Sulfur, Free, in vulcanized rubber, determination of.

Swelling measurements in the rubber laboratory.

Synthetic rubber, Cold resistance of.

rubber compounds, Fibrous properties of.
in automotive industry.

Studies of. Scorching of rubber and synthetic compounds, Determination of..... Studies of Swollen rubbers, Dielectric losses in T-50 value, Factors influencing the.

Tear resistance of rubber compounds.

Temperature correction in formula for viscosity of latex.

of crystallization on melting of crystalline rubber.

Thermal problems in rubber manufacture.

SUBJECT INDEX

	Page
Thermoelastic properties of rubberlike materials. Thiokol Type-F. Gasoline-diffusion resistance of.	929
Tire compounds, Hysteresis tests on	35
Transitions in rubber and their connection with the stress-strain curve	$\frac{525}{221}$
Ultraviolet light, Influence of irradiation with, on degree of polymerization	724
Use of synthetic rubber in the automotive industry from the viewpoint of the rubber technologist.	211
Van Harpen's hydratant acid	154
Viscosity of latex, Measurement by capillary viscometer of	137 176
of various synthetic rubbers. Vistanex polybutene-rubber blends.	724
Vulcanizable plasticizers and mixed polymers	826
Vulcanization of rubber by nitrogen compounds	835
Relation of mixed polymers and vulcanizable plasticizers to	826
Polarographic determination of organic accelerators of	914 347
Determination of free sulfur in Effect of strain on	520
of various sulfur-accelerators ratios in	356
Hysteresis in crystallization of	27
Wanted—A new aging test	749
Waste rubber, Distillation products from	
x-Ray data of hysteresis in crystallization of stretched vulcanized rubber. 27 structure of rubber-carbon black mixtures. 27	85
studies of effects of sulfur content and method of curing	546
study of the proportion of crystalline and amorphous components in stretched rubberx-Rays, Investigation of synthetic linear polymers by	555 323
Zinc oxide—A product of complex physical and chemical properties	259



CARBON GAS BLACKS

UNITED CARBON COMPAN CHARLESTON, W.VIRGINIA



Compressed Blacks

DIXIEDENSED

Dustless Blacks





